

TYPE APPROVAL CERTIFICATE No. MAC005121XG

This is to certify that the product identified below is in compliance with the regulations herewith specified.

Description MECHANICAL JOINTS FOR PIPES

Type UNI-FLEX

SLIP-ON JOINT - SLIP TYPE AXIALLY NOT RESTRAINED

Applicant UNI-Coupling by

KERKDIJK-ZUID 11A

5492 HW SINT-OEDENRODE

NETHERLANDS

Manufacturer UNI-Coupling by

Place of manufacture KERKDIJK-ZUID 11A

5492 HW SINT-OEDENRODE

NETHERLANDS

Reference standards Part C, Chapter 1, Section 10 of RINA Rules

Reference documents RINA Type approval system

Issued in HAMBURG on January 19, 2021. This Certificate is valid until January 18, 2026

RINA Services S.p.A. Giuseppe Russo

This certificate consists of this page and 1 enclosure

No. MAC005121XG Enclosure - Page 1 of 1 UNI-FLEX (F)

Reference Documents:

- Housing, Gasket, Trunions, Washers, Gripring & Bolts Assembly drawings
- Uni-Coupling Technical Manual issued on 24.9.2014
- Burst Test, Tightness Test, Vacuum Test & Fire Endurance Test Reports according to Final Test Plan dated 18.9.2014 as per IACS UR P2.11.5
- ISO-9001 & ISO14001 Quality Certificates
- Uni-coupling asbestos free material statement
- -Approved Drawing HMMC-18495

Materials/Components:

	W2		W5	
	DIN	AS	DIN	AS
Casing	1.4016	301	1.4571-1.4404-1.4462-1.4162	316Ti-316L-318LN-Lean Duplex
Lock Bars S-Type	1.0760	-	1.4571-1.4404-1.4462-1.4162	316Ti-316L-318LN-Lean Duplex
Lock Bars L-Type	1.4571	ı	-	-
Bolts	1.0760	-	A4-80	316
Anchor Ring	1.4310 / 301			
Rubber Sleeve	NBR / EPDM			
Pipe Material	carbon steel, stainless steel, Cu, CuNiFe			

Flame protection consists of housing made of stainless steel sheet according to drawing no. 1-W5-VB-xx-xx & 2-W5-VB-xx-xx and intumescent material covered by type approved tape.

Technical Characteristics

Design Pressure			
Size Range OD (mm)	PN(bar)		
from 45 up to 110	16		
from 140 up to 206	16 to 2.5		
from 280 up to 420	16 to 2.5		

Design Temperature			
Rubber Material / Size Range OD (mm)	Temperature Range		
NBR	-20°C up to 80°C		
EPDM / 21 up to 172	-30°C up to 125°C		
EPDM / 180 up to 406.4	-20°C up to 80°C		

Fields of Application:

The slip on joints slip type are acceptable for the applications/locations shown in the Table 16 of Part C, Chap. 1, Section 10 of RINA Rules. also where fire resistant coupling type is required and with the limitations as per Paragraph 2.4.5 Part C, Chap. 1, Section 10 of RINA Rules.

Acceptance Conditions:

- -The gasket material must be resistant to the fluid conveyed in the pipe and also to the surrounding fluid if the coupling is installed inside a tank.
- -The couplings are to be installed in locations where leakage would not create a hazard by way of damage to electrical systems or otherwise create a hazard to the vessel, equipment or personnel onboard.
- -The acceptance of the a.m. products on board ship classed with RINA is subject to the satisfactory outcome of testing as per RINA Rules applicable.
- -The installation on board is to be carried out in accordance with the Manufacturer's instructions.
- -This Certificate annuls and replaces the Certificate No.MAC098415XG/002.

HAMBURG January 19, 2021

M Mm